

# ALP1709


aluminium profiles for LED strips

LUXTRON  
SYSTEMS



*Housing for LED strips!*

Designed and manufactured from high-grade aluminium, our LED profiles are light-weight, provide excellent heat dissipation. Extrusions come in Natural Anodized silver as a standard. White, Black and other finishes can also be provided on demand.



# ALP1709

## specifications sheet


Designed and manufactured from high-grade aluminium, our LED profiles are light-weight, provide excellent heat dissipation. Extrusions come in Natural Anodized silver as a standard. White, Black and other finishes can also be provided on demand.




### Technical Data

|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| Lengths               | 1 / 2 / 3 m                                              |
| Dimensions            | 17 x 9.7 mm                                              |
| Mounting options      | Recessed / Surface Mounted                               |
| Lighting source width | 12.4 mm                                                  |
| Accessories           | End Caps, Mounting Clips, Diffuser                       |
| Use with              | COB.Flex & Helvar LED controlgear solutions              |
| Dimming Protocols     | DALI / Wireless<br>1-10V / Phase-Dim                     |
| Colors                | Natural Silver (standard)<br>other finishes - on request |
| Beam Angle            | 120°                                                     |
| IP Rating             | IP 20 - indoor use                                       |


### Dimensions (mm)



### Mounting options



**Surface  
Mounted**





**Mounting  
Clip**

# ALP1709 flexible

## specifications sheet


Designed and manufactured from high-grade aluminium, our LED profiles are light-weight, provide excellent heat dissipation. Extrusions come in Natural Anodized silver as a standard. White, Black and other finishes can also be provided on demand.

### Possible Applications




**Please note only side bend is possible.**


### Installation Instructions



**Step (1)**  
Mount the fixing buckles onto the surface the Aluminium Profile is to be installed.




**Step (2)**  
Fix the finished Aluminium Profile (fixed with Strips & diffuser) onto the buckle.



**Step (3)**  
Your Aluminium Profile is now installed. Remember to connect it with the Helvar LED driver that was supplied with your profile.

## Use COB.flex with your favorite Helvar & Luxtron solutions

### COB.flex 8 W / m



### COB.flex 14 W / m

